













LEGEND											
	Application of Speaking Valve		Tracheostomy		Mechanical Ventilation		Advanced Dysphagia		Multidisciplinary Team		Sleep
	Patient Communication		Pediatric Infant		Pediatric Child		Quality of Life		Speech & Language Development		Patient Safety

-     Barraza, G., Fernandez, C., Halaby, C., Ambrosio, S., Simpser, E., and Pirzada, M. (2014). The safety of tracheostomy speaking valve use during sleep in children: A pilot study. *American Journal of Otolaryngology*, 35(5), 636-640. doi:10.1016/j.amjoto.2014.04.011
-    Cho Lieu, J.E., Muntz, H.R., Prater, D., and Blount Stahl, M. (1999). Passy-Muir valve in children with tracheotomy. *International Journal of Pediatric Otorhinolaryngology*, 50(3), 197-203. doi:10.1016/s0165-5876(99)00245-1
-    Cordle, K. (2006). Speaking valves for infants. *Advance Magazine for Speech-Language Pathologists and Audiologists*, 16(11), 9.
-    Costello, J.M., Patak, L., and Pritchard, J. (2010). Communication vulnerable patients in the pediatric ICU: Enhancing care through augmentative and alternative communication. *Journal of Pediatric Rehabilitation Medicine: An Interdisciplinary Approach*, 3, 289-301. doi:10.3233/PRM-2010-0140
-      Cowell, J., Schlosser, D., and Joy, P. (2000). Language outcomes following infant tracheostomy. *Asia Pacific Journal of Speech, Language, and Hearing*, 5(3), 179-186. Published online 2013 <http://dx.doi.org/10.1179/136132800805576942>
-    DeMauro, S.B., D'Agostino, J.A., Bann, C., et al. (2014). Developmental outcomes of very preterm infants with tracheostomies. *Journal of Pediatrics*, 164(6), 1303-10.
-    Engleman, S.G., & Turnage-Carrier, C. (1997). Tolerance of the Passy-Muir speaking valve in infants and children less than 2 years of age. *Pediatric Nursing*, 23(6), 571-573.
-    Gereau, S.A., Navarro, G.C., Cluterio, B., Mullan, E., Bassila, M., and Ruben, R. (1996). Selection of pediatric patients for use of the Passy-Muir valve for speech production. *International Journal of Pediatric Otorhinolaryngology*, 35(1), 11-17. doi:10.1016/0165-5876(95)01258-3
-     Groenendijk, I., Booth, J., van Dijk, M., Argent, A., and Zampoli, M. (2016). Paediatric tracheostomy and ventilation home care with challenging socio-economic circumstances in South Africa. *International Journal of Pediatric Otorhinolaryngology*, 84, 161-165.
-   Hashmi, N.K., Ransom, E., Nardone, H., Redding, N., and Mirza, N. (2010). Quality of life and self-image in patients undergoing tracheostomy. *Laryngoscope*, 120, Suppl 4:S196. doi:10.1002/lary.21663
-    Hill, B.P. and Singer, L.T. (1990). Speech and language development after infant tracheostomy. *Journal of Speech and Hearing Disorders*, 55(1), 15-20.
-     Hoffman, L., Bolton, J., and Ferry, S. (2008). Passy-Muir speaking valve use in a children's hospital: An interdisciplinary approach. *SIG 3 Perspectives on Voice and Voice Disorders*, 18, 76-86. doi:10.1044/vvd18.2.76
-    Hull, E.M., Humas, H.M., Crowley, R.A., and Kharasch, V.S. (2005). Tracheostomy speaking valves for children: Tolerance and clinical benefits. *Pediatric Rehabilitation*, 8(3), 214-219. doi:10.1080/13638490400021503
-    Jackson, D. and Albamonte, S. (1994). Enhancing communication with the Passy-Muir valve. *Pediatric Nursing*, 20(2), 149-53.



Jiang, D. and Morrison, G.A. (2003). The influence of long-term tracheostomy on speech and language development in children. *International Journal of Pediatric Otorhinolaryngology*, 67, Suppl 1: S217-20.



Joint Commission International Center for Patient Safety. (2006). Patient-inclusive care: Encouraging patients to be active participants in their care. *Patient Safety Link*, 2(2), 1. Retrieved from: <http://www.modernmedicine.com/modern-medicine/content/jcahos-patient-safety-goals-part-1-practical-guide?page=full>



Kamen, R.S. and Watson, B.C. (1991). Effects of long-term tracheostomy on spectral characteristics of vowel production. *Journal of Speech and Hearing Research*, 34, 1057- 1065.



Kaslon, K.W. and Stein, R.E. (1985). Chronic pediatric tracheostomy: assessment and implications for habilitation of voice, speech and language in young children. *International Journal of Pediatric Otolaryngology*, 9, 165-171.



Kertoy, M.K., Guest, C.M., Quart, E., and Lieh-Lai, M. (1999). Speech and phonological characteristics of individual children with a history of tracheostomy. *Journal of Speech, Language, and Hearing Research*, 42(3), 621-635.



Kertoy, M.K. (2002). *Children with Tracheostomies: Resource Guide*. Delmar: Singular - Thompson Learning. Canada.



Locke, J.L. and Pearson, D.M. (1990). Linguistic significance of babbling: evidence from a tracheostomized child. *Journal of Child Language*, 17(1), 1-16. doi:10.1017/s0305000900013076



Mathur, N.N. and Meyers, A.D. (2016). *Pediatric Tracheostomy*. Medscape. Retrieved <http://emedicine.medscape.com/article/873805-overview> July 2016.



Ongkasuwan, J., Turk, C.L., Rappazzo, C.A., Lavergne, K.A., Smith, E.O., and Friedman, E.M. (2014). The effect of a speaking valve on laryngeal aspiration and penetration in children with tracheostomies. *Laryngoscope*, 124, 1469-1474.



Overman, A.E., Liu, M., Kurachek, S.C., Shreve, M.R., Maynard, R.C., Mammel, M.C., and Moore, B.M. (2013). Tracheostomy for infants requiring prolonged mechanical ventilation: 10 years' experience. *Pediatrics*, 131(5), e1491-6. doi:10.1542/peds.2012-1943



Patel, M.R., Zdanski, C.J., Abode, K.A., Reilly, C.A., Malinzak, E.B., Stein, J.N.,... Drake, A.F. (2009). Experience of the school-aged child with tracheostomy. *International Journal of Pediatric Otorhinolaryngology*, 73, 975-980. doi:10.1016/j.ijporl.2009.03.018



Peck, K. (2010). Children with trachs: Facilitating speech and swallowing. *Advance Magazine for Speech-Language Pathologists and Audiologists*, 20(25), 5.



Simon, B.M., Fowler, S.M., and Handler, S.D. (1983). Communication development in young children with long-term tracheostomies: Preliminary report. *International Journal of Pediatric Otolaryngology*, 6, 37-60.



Simons, J.P., Mehta, D., and Mandell, D.L. (2010). Assessment of constipation in children with tracheostomy. *Archives of Otolaryngology Head and Neck Surgery*, 136(1), 27-32. doi:10.1001/archoto.2009.207



Solet, D.J., Norvell, M., Rutan, G.H., and Frankel, R.M. (2005). Lost in translation: challenges and opportunities in physician-to-physician communication during patient hand-offs. *Academic Medicine*, 80, 1094-1099. doi:10.1097/00001888-200512000-00005



Stevens, M., Finch, J., Justice, L., and Geiger, E. (2011). Use of the Passy-Muir valve in the neonatal intensive care unit. *Neonatal Intensive Care*, 24(7), 22-23.



Sutt, A., Cornwell, P., Mullany, D., Kinneally, T., and Fraser, J. (2015). The use of tracheostomy speaking valves in mechanically ventilated patients results in improved communication and does not prolong ventilation time in cardiothoracic intensive care unit patients. *Journal of Critical Care*, 30, 491. doi:10.1016/j.jcrrc.2014.12.017



Toursarkissian, B., Fowler, C.L., Zweng, T.N., and Kearney, P.A. (1994). Percutaneous dilational tracheostomy in children and teenagers. *Journal of Pediatric Surgery*, 29(11), 1421-4
doi:10.1016/0022-3468(94)90135-x



Utratachkij, J., Pongsasongkul, J., Preutthipan, A., and Chantarojanasri, T. (2005). Measurement of end-expiratory pressure as an indicator of airway patency above tracheostomy in children. *Journal of the Medical Association of Thailand*, 88(7), 928-932.



Wetmore, R.F. (2007). *Pediatric Otolaryngology*. Philadelphia: Mosby Elsevier.

